









"Potential of spectral vegetation indices for estimating gross ecosystem production (GEP) from grasslands."

Karolina Sakowska^{1,3} Damiano Gianelle¹ Radoslaw Juszcak³ Barbara Marcolla¹ Loris Vescovo¹ Micol Rossini²

²Remote Sensing Laboratory, DISAT, University of Milan – Bicocca, Italy ³Meteorology Department, Poznan University of Life Sciences, Poland ¹DASB FCB, Fondazione Edmund Mach, Italy

STSM_2012

"Relationships between spectral reflectance and CO₂ fluxes."

FEBRUARY	SUN MON TUE	of the state of th		5 6 7		5 6 2 13 9 20
	MED	-	œ	4	5	
	Ħ	N	9	6		23
	7	ယ	6	17	24	
	SAT	4	크	ᄚ	25	
MARCH	ŠČX		4	⇉	8	25
	MON		വ	2	19	26
	TUE		တ	13	20	27
	WED		7	4	21	28
	Ħ	_	œ	15	22	29
	æ	N	ဖ	6	23	မ
	SAT	ယ	6	17	24	ယ္



Host: dr Micol Rossini - Remote Sensing of Environmental Dynamics Lab.-University of Milano-Bicocca, the Environmental Sciences Department (DISAT)





DESCRIPTION OF THE WORK CARRIED OUT DURING THE STSM

(HR4000 Ocean Optics spectrometers) - instructional field Learning the operation of hyperspectral sensors campaign




Fig. 1. Typical field setup of manual hyperspectral system. Photo: Micol Rossini

ERROR: ioerror
OFFENDING COMMAND: image

STACK: